

**Selected Application Recommendations
Tubeless Steel Disc Wheels
Class 7 & 8 Tractors (Fifth Wheel Applications)**

Highway Service Applications		Type of Disc Wheel					
		10-Hole Hub-Piloted			10-Hole Stud-Piloted		
Size/Diameter		19.5"	22.5"	24.5"	19.5"	22.5"	24.5"
Front Steer Axle							
10,000 pounds to 14,600 pounds	2 Hand Holes	--	51408	50409	--	27404	27406
	5 Hand Holes	29195	51487	50641	--	27833C	--
	10 Hand Holes	--	51637	29545	--	--	--
Single Drive Axle							
17,000 pounds to 26,000 pounds	2 Hand Holes	--	51408	50409	--	27404	27406
	5 Hand Holes	29195	51487	50641	--	27833C	--
	10 Hand Holes	--	51637	29545	--	--	--
Tandem Drive Axle							
34,000 pounds to 46,000 pounds	2 Hand Holes	--	51408	50409	--	27404	27406
	5 Hand Holes	29195	51487	50641	--	27833C	--
	10 Hand Holes	--	51637	29545	--	--	--

Heavy Duty Application		Type of Disc Wheel					
		10-Hole Hub-Piloted			10-Hole Stud-Piloted		
On/Off Highway, High Center of Gravity (Tankers, Coal, Gravel, Logging, Bulk Haulers)		19.5"	22.5"	24.5"	19.5"	22.5"	24.5"
Front Steer Axle							
12,000 pounds to 14,600 pounds	2 Hand Holes	--	28828	28827	--	27404	27406
	5 Hand Holes	--	29169	--	--	28476C	--
Single Drive Axle							
17,000 pounds to 23,000 pounds	2 Hand Holes	--	28828	28827	--	27404	27406
	5 Hand Holes	--	29169	--	--	28476C	--
Tandem Drive Axle							
Over 34,000 pounds to 46,000 pounds	2 Hand Holes	--	28828	28827	--	27404	27406
	5 Hand Holes	--	29169	--	--	28476C	--

Recommendations are based on load rating. Wheel offset and adequate clearances must be verified.

Accuride heavy duty products must be used in these vocational applications to be eligible for warranty consideration.

